



OPTIMAL MIXING INSTRUCTIONS LAYER CONCENTRATES KLC 10

For feed delivering the best technical performance for the highest profits

	Galdus Pre - starter	Starter	Grower	Developer	Pre Layer	Pre-Peak	Layer 1	Layer 2
Ingredients	0 - 10 days	1 - 6 weeks	7 - 12 weeks	13 - 16 weeks	17 - 19 weeks	20 - 28 weeks	28 - 45 weeks	> 45 weeks - END
Broiler Prestarter Galdus High Altitude	Min. 100gr/DOC
KBC 35/30 SA	350	300
KLC 10	100	100	100	100	100
Maize 8,5% CP	520	510	565	580	580	600	600
SOYBEANMEAL 46% CP	30	60	80	85	60
SUNFLOWERCAKE 25 CP	50	50	75	75
WHEAT BRAIN / POLLARD	125	185	290	150	100	30	50
SOYBEAN OIL	5	5	5	10	10	5
LIMESTONES 33.5	15	55	80	100	110
Total Kgs	1000	1000	1000	1000	1000	1000	1000

IMPORTANT REMARKS :

- **DOC** stands for **Day Old Chick**
- For the best results; start with the Koudijs Galdus 2mm pre-starter (minimum 150 gram/bird total, preferably more).
- When oil is available; replace 0,5% corn for 0,5% oil.
- Always make sure all birds have access to enough feed and water.
- Carefully follow the provided mixing instructions and thoroughly mix the ingredients for the best results.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the birds houses only.
- Ensure proper quality of the limestone is used. Quicktests are available, ask your local representative for more info.
- To avoid drop in feed intake ; ensure the change of feed (from Starter to Grower feed etc.) happens gradually.
- Please check the website for the full nutritional composition of the feed after mixing.



SCAN THE QR CODES TO LEARN MORE ABOUT OUR PRODUCTS



POULTRY COACH



LEARN MORE ABOUT OUR NUTRITIONAL COMPOSITION



WHATSAPP CONTACT

DE HEUS KENYA LIMITED

Spring Court, Ndege Road, MP7F 26V Nairobi, Kenya
Tel. +254 742 521 632, info.ke@deheus.com, www.deheus.co.ke

EFFECTIVE DATE 17 May 2024

