

## Mixing Instructions

**CLIENT** Kenya BIOFOODS  
**With** 960106 KDAIRYCON >20L  
**Intended for** DAIRY COWS  
**Batch weight** 1000 kg



Version:	17-5-2024		HP Dairy Meal	Dairy Meal
Code	Ingredient	Unit		
	CORN GERMS	kg	300	215
	CORN	kg	180	165
	WHEAT BRAN	kg	213	373
	SOYBEAN MEAL	kg	30	0
	RAPESEEDCAKE	kg	155	125
	KDAIRYC >20 L	kg	120	120
	TOXIN BINDER	kg	2	2
	<b>Total</b>	<b>kg</b>	<b>1000</b>	<b>1000</b>

## Calculated Analyses

Crude protein	%	19,4	18,0
Crude fat Xtr (EE)	%	4,4	4,3
Crude fibre	%	5,7	6,2
Ash	%	6,5	6,6
Dry matter	%	88,5	88,6
Starch Ewers	%	30,4	30,1
Sugar	%	4,8	4,7
NDF	%	20,8	23,2
ADF	%	8,7	9,5
ADL	%	1,7	2,1
VEM	-	990,0	940,0
SDVE mash	%	10,5	9,5
SOEB mash	%	3,4	3,0
FCP-1 mash	g	57,3	55,0
FCH-1 mash	g	169,3	174,2
Calcium	g	8,9	8,8
Phosphor tot	g	5,7	6,2
Potassium	g	9,7	9,4
Sodium	g	2,4	2,4
Magnesium tot	g	3,2	3,4
Vit A add (30672a)	IU/kg	8000,0	8000,0
Vit D3 add (3a671)	IU/kg	2530,0	2530,0
Cu	mg/kg	18,6	18,7

### Important

Note: Mixing directions can change depending on the price and quality of local available raw materials.

- To achieve good results, follow these mixing instructions exactly! Do not alter or change without consult.
- Always make sure all cows have access to ad libitum forages/silages.
- Make sure cows always have access to fresh, cool and clean water.
- The amount of feed for a cow is depending on production level. HP Dairy meal is for cows producing >20L/day.
- The Dairy meal intake 3 kg up to 6L milk production/head/day.
- Dairy meal intake >6L milk production/head/day is 1 kg dairy meal per 2L milk production, up to a max of 12 kg intake/day.
- Dry cows should get 2-3kg/day next to ad libitum low/medium fibre rich forages
- Before weaning calves should have ad libitum access, at weaning min preferably 2kg/day.
- For more advice, ask the local Koudijs representative.