

Mixing Instructions

CLIENT Kenya
With 960106 KDAIRYCON >20L
Intended for DAIRY COWS
Batch weight 1000 kg
 Without corn germs



Version:	17-5-2024		HP Dairy Meal	Dairy Meal
Code	Ingredient	Unit		
	CORN	kg	400	385
	RAPESEEDCAKE	kg	223	0
	WHEAT BRAN	kg	195	300
	SOYBEAN MEAL	kg	45	20
	SUNFLOWER CAKE	kg	15	173
	KDAIRYC >20 L	kg	120	120
	TOXIN BINDER	kg	2	2
	Total	kg	1000	1000

Calculated Analyses

Crude protein	%	20,6	18,0
Crude fat Xtr (EE)	%	4,7	4,6
Crude fibre	%	7,3	8,9
Ash	%	6,6	6,5
Dry matter	%	89,1	89,1
Starch Ewers	%	30,7	31,2
Sugar	%	4,9	4,0
NDF	%	21,5	23,9
ADF	%	9,8	11,5
ADL	%	3,2	3,0
VEM	-	990,0	940,0
SDVE mash	%	10,5	9,5
SOEB mash	%	4,7	3,5
FCP-1 mash	g	62,7	62,3
FCH-1 mash	g	150,0	150,0
Calcium	g	10,0	9,0
Phosphor tot	g	6,2	6,4
Potassium	g	9,0	9,3
Sodium	g	2,4	2,4
Magnesium tot	g	3,3	3,6
Vit A add (30672a)	IU/kg	8000,0	8000,0
Vit D3 add (3a671)	IU/kg	2530,0	25300,0
Cu	mg/kg	17,7	20,7

Important

Note: Mixing directions can change depending on the price and quality of local available raw materials.

- To achieve good results, follow these mixing instructions exactly! Do not alter or change without consult.
- Always make sure all cows have access to ad libitum forages/silages.
- Make sure cows always have access to fresh, cool and clean water.
- The amount of feed for a cow is depending on production level. HP Dairy meal is for cows producing >20L/day.
- The Dairy meal intake 3 kg up to 6L milk production/head/day.
- Dairy meal intake >6L milk production/head/day is 1 kg dairy meal per 2L milk production, up to a max of 12 kg intake/day.
- Dry cows should get 2-3kg/day next to ad libitum low/medium fibre rich forages
- Before weaning calves should have ad libitum access, at weaning min preferably 2kg/day.
- For more advice, ask the local Koudijs representative.